

Indian Statistical Institute

End Semester Examination

M. Tech. (CS), Machine Learning II

Maximum Marks: 100

Duration: 3 Hrs. 15 Mins.

Note:

- Attempt all questions.
- Assume suitable values wherever necessary and state assumptions clearly.
- All notations follow standard definitions used in deep learning and transformer architectures.
- Use of calculator is permitted.

1. Consider a linear autoencoder defined as follows:

$$x \in \mathcal{R}^n, \quad h = W_1 x, \quad \hat{x} = W_2 h,$$

where $W_1 \in \mathcal{R}^{m \times n}$ is the encoder weight matrix and $W_2 \in \mathcal{R}^{n \times m}$ is the decoder weight matrix.

- (a) If the hidden layer dimension $m = n$, determine what the product $W_2 W_1$ must be for perfect reconstruction of all inputs x .
- (b) If $m < n$, explain mathematically why perfect reconstruction of all inputs is not possible, and describe what $W_2 W_1$ represents in this case.
- (c) Briefly interpret the geometric meaning of part (b): what kind of subspace does the autoencoder learn when $m < n$?

[3 + 3 + 2 = 8]

2. Let $p(k)$ be a one-dimensional discrete probability distribution defined on nonnegative integers $k = 0, 1, 2, \dots$, which we wish to approximate by a Poisson distribution $q(k; \lambda)$ having parameter $\lambda > 0$. The Poisson distribution is given by

$$q(k; \lambda) = \frac{e^{-\lambda} \lambda^k}{k!}, \quad k = 0, 1, 2, \dots$$

(a) Show that minimizing the KL divergence $KL(p||q_\lambda)$ with respect to λ leads to

$$\lambda^* = \sum_{k=0}^{\infty} k p(k),$$

that is, the optimal Poisson parameter equals the mean of $p(k)$. Provide all intermediate steps clearly.

(b) Explain intuitively why this result implies that the “best” Poisson approximation to any discrete nonnegative distribution matches its expected value.

- (c) Show that $KL(p||q_\lambda)$ is a convex function of λ , and hence verify that the stationary point $\lambda^* = E_p[k]$ corresponds to a unique global minimum.

$$[6 + 3 + 3 = 12]$$

3. (a) A simple Recurrent Neural Network (RNN) operates on an input sequence

$$x = [x_1, x_2] = [1, 2],$$

with parameters:

$$W_x = 1.0, \quad W_h = 0.5, \quad b = 0, \quad \text{and activation } f(z) = \tanh(z).$$

Assume the initial hidden state $h_0 = 0$.

- i. Compute h_1 and h_2 step-by-step, showing all intermediate values before and after applying tanh.
 - ii. If the output is computed as $y_t = h_t$, write the final output sequence $[y_1, y_2]$.
- (b) Consider an LSTM cell with the same input sequence $x = [1, 2]$ and the following parameters:

$$W_i = W_f = W_o = W_c = 1, \quad U_i = U_f = U_o = U_c = 0, \quad b_i = b_f = b_o = b_c = 0,$$

and the initial states $h_0 = 0, c_0 = 0$. Use the activation functions $\sigma(z) = \frac{1}{1+e^{-z}}$ and $\tanh(z)$.

- i. Compute the gate activations (i_t, f_t, o_t) and candidate cell state $(\tilde{c}_t)$ for $t = 1, 2$.
- ii. Compute the cell states c_1, c_2 and hidden states h_1, h_2 .
- iii. Compare how the LSTM's memory cell c_t differs from the RNN's hidden state in preserving information across time steps.

$$[(4+4)+(4+5+3) = 20]$$

4. A Transformer's Scaled Dot-Product Attention mechanism operates using three matrices: Query (Q), Key (K), and Value (V). You are given the following input matrices for a single attention head:

$$Q = \begin{bmatrix} 1 & 0 & 1 \end{bmatrix}, \quad K = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 1 & 0 \end{bmatrix}, \quad V = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$

- (a) Compute the unnormalized attention scores.
- (b) Apply the appropriate scaling factor to the computed scores to obtain the scaled attention scores.
- (c) Calculate the normalized attention weights using the Softmax function applied to the scaled scores.
- (d) Using the obtained attention weights, compute the final attention output vector as a weighted sum of the value vectors.

7. (a) Consider a graph G with node indices $\{0, 1, 2, 3, 4\}$ and edge indices given by:

$$\begin{bmatrix} 0 & 0 & 0 & 1 & 2 & 2 & 3 & 3 & 3 & 4 \\ 1 & 2 & 3 & 0 & 0 & 3 & 0 & 2 & 4 & 3 \end{bmatrix}$$

Draw the computation graph for node ID 2 for a 2-hop message passing operation. Assume the node feature matrix of G is:

$$X = \begin{bmatrix} 0 & -1 \\ 1 & -2 \\ 0 & 2 \\ 1 & 0 \\ -1 & 3 \end{bmatrix}$$

Estimate the aggregated features for node 2 using a bottom-to-top approach with the mean aggregator (no self-loop addition required). Further, compute A^2X , where A is the normalized adjacency matrix, to aggregate two-hop node features. Show that the updated node features for node 2 are equal under both aggregation approaches.

- (b) Two nodes p and q in a connected graph respectively have degrees m and n . Assume all nodes possess identical features. If neighborhood aggregation is performed, design two different aggregators that yield distinct neighborhood representations for nodes p and q under the following cases:
- (a) $m = n$
- (b) $m \neq n$
- (c) Let L be a graph Laplacian with two eigenvectors

$$u = [-1 \quad 3a \quad b], \quad v = [2b \quad c \quad -a]$$

corresponding to eigenvalues greater than zero, where $a, b, c \in \mathbb{R}$. Find the values of a , b , and c that satisfy orthogonality and normalization conditions of Laplacian eigenvectors.

- (d) Discuss three advantages of employing **Knowledge Distillation** from a larger (teacher) network to a smaller (student) network, in comparison to designing an end-to-end trainable compact model.

$$[8 + 4 + 5 + 3 = 20]$$

8. (a) A binary classifier predicts whether a candidate is *selected* ($\hat{Y} = 1$) or *not selected* ($\hat{Y} = 0$) in a job interview for the position of Data Scientist. The following table shows predictions for 12 candidates, equally divided between males and females.

Candidate ID	Gender	Predicted Outcome ($\hat{Y}$)
1	Female	0
2	Male	1
3	Male	1
4	Female	1
5	Male	1
6	Female	0
7	Female	0
8	Male	0
9	Female	1
10	Male	1
11	Female	0
12	Male	1

- i. Compute the *Demographic Parity Difference (DPD)* between male and female candidates.
 - ii. Interpret your result: which gender group receives more favorable predictions?
- (b) A probabilistic language model assigns conditional probabilities to each token in a sequence $(w_1, w_2, \dots, w_N)$. The perplexity (PP) of the model is defined as:

$$\text{PP} = \exp \left(-\frac{1}{N} \sum_{i=1}^N \log P(w_i \mid w_1, \dots, w_{i-1}) \right).$$

- i. Derive this expression starting from the cross-entropy formulation

$$H(p, q) = -\frac{1}{N} \sum_{i=1}^N \log q(w_i).$$

- ii. Compute the perplexity for a 4-token sequence where the model assigns probabilities $P(w_1) = 0.4$, $P(w_2|w_1) = 0.3$, $P(w_3|w_1, w_2) = 0.2$, and $P(w_4|w_1, w_2, w_3) = 0.1$.
- iii. Interpret what this perplexity value implies about the model’s confidence and prediction quality.

$$[(4+2)+(2+2+2) = 12]$$

5. Explainable AI techniques such as LIME and SHAP help interpret the contribution of individual input features to a model's prediction. Consider a simple linear regression model used for predicting a student's exam score based on two features:

$$f(x_1, x_2) = 5 + 3x_1 + 2x_2$$

where x_1 = hours studied and x_2 = number of practice tests taken. We wish to explain the prediction for a specific student with input $(x_1, x_2) = (2, 1)$.

- (a) Using the SHAP framework, assume the following coalition function values (model outputs when only a subset of features is present):

$$\begin{aligned} f(\emptyset) &= 5, \\ f(\{x_1\}) &= 11, \\ f(\{x_2\}) &= 9, \\ f(\{x_1, x_2\}) &= 15. \end{aligned}$$

Compute the Shapley values ϕ_{x_1} and ϕ_{x_2} for this prediction and verify that:

$$f(x_1, x_2) = f(\emptyset) + \phi_{x_1} + \phi_{x_2}.$$

- (b) Interpret the computed Shapley values: Which feature contributes more to the model's output for this particular prediction, and by how much relative to the baseline?

[5 + 3 = 8]

6. Let $s \in R^n$ be a vector of attention scores with components s_j , and define the *softmax* function

$$a = \text{softmax}(s), \quad a_i = \frac{e^{s_i}}{\sum_{t=1}^n e^{s_t}}, \quad i = 1, \dots, n.$$

The vector a represents the attention weights corresponding to s .

- (a) Prove that the softmax function is invariant to adding the same constant to all entries of s ; that is, for any scalar $c \in R$,

$$\text{softmax}(s + c\mathbf{1}) = \text{softmax}(s),$$

where $\mathbf{1}$ denotes the all-ones vector.

- (b) Derive the *Jacobian matrix* of the softmax function, defined as

$$J_s = \frac{\partial a}{\partial s} \in R^{n \times n}, \quad \text{where} \quad (J_s)_{ij} = \frac{\partial a_i}{\partial s_j}.$$

Show that $J_s = \text{diag}(a) - aa^\top$ and hence that for all i, j ,

$$\frac{\partial a_i}{\partial s_j} = a_i(\delta_{ij} - a_j),$$

where δ_{ij} is the Kronecker delta.

(Hint: Use the quotient rule starting from $a_i = e^{s_i} / \sum_t e^{s_t}$.)